प्रस्ताव भी सरकार के विचाराधीन है और

(च) यदि हां तो तत्संबंधी ब्यौरा क्या है

संचार मंत्रालय के राज्य मंत्री (श्री सुख राम) : (क) 30-5-1992 से रायगढ़ जिले के जसपुर नगर को एस०टी०डी सुविधा से जोड़ दिया गया था। भारत में एस०टी०डी सेवा युक्त सभी स्थानों को जसपुर नगर से जोड़ दिया गया है। इसके अतिरिक्त आई०एस०डी० पर उपलब्ध सारे देश भी जसपुर से जोड़ दिए गए हैं।

(ख) एस०टी०डी० चालू किए जाने के समय से 30-6-93 तक एस०टी०डी० चालू किए जाने के समय घने जंगलों से होकर पार करने वाले ओवरहैड लाइनों में खराबियों के कारण कुल 322 घण्टों की अवधि (अवसरों पर) के लिए एसटीडी सेवाएं अनुपलब्ध रहीं।

(ग) माइक्रोवेव या आप्टिकल फाइबर केबल जैसा एक विश्वासनीय माध्यम ही प्रणाली को कारगर तथा दक्ष बनाने के लिए उपयुक्त और प्रभावी उपाय है।

(घ) और (ङ) अभी जसपुर नगर को जोड़ने वाली माइक्रोवेव प्रणाली की स्थापना का कोई प्रस्ताव नहीं है। तथापि, विश्वासनीय एसटीडी सर्किट प्रदान करने के लिए जसपुर नगर को आप्टिकल फाइबर केबल से जोड़ने का प्रस्ताव है।

(च) भोपाल–कलकत्ता को जोड़ने के लिए जिस आप्टिकल फाइबर केबल प्रणाली की योजना बनाई गई है, वह जसपुर नगर से होकर गुजरेगी। इस प्रणाली के 8वीं योजना के अंत तक चालू हो जाने की संभावना है।

Electronic Exchanges in Madurai, Tamil Nadu

1883. SHRI V. RAJAN CHELLAPPA:

Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether Government have any plan to set up an electronic exchange with latest technology in Madurai City of Tamil Nadu;

(b) what steps have been taken to upgrade the existing strowger instrument at the East Masi Street Telephone exchange in Madurai city which is the oldest in India;

(c) if so, what are the details thereof; and

(d) if not, the reasons therefor'.'

THE MINISTER OF STATE OF THE MINISTRY OF COMMUNICATIONS (SHRI SUKH RAM): (a) Yes, Sir.

(b) Adequate electronic equipment has been already allotted for replacement/ upgradation of the Madurai Main Strowger exchange at East Masi Street.

(c) (i) So far, 45,000 lines of electronic equipment have already been allotted for Madurai City upto the end of 8th Plan period.

(ii) During July, 93, a 5000 lines E-10B electronic exchange has been commissioned at Ellisnagar. This will help in partly decommissioning of old Strowger equipment at East Masi Street.

(iii) 1200 lines of Level-II Strowger exchange are proposed to be replaced by December, 93.

(iv) Balance lines will be progressively replaced on commissioning of further electronic exchange in the area.

(d) Does not arise in view of (c) above.

Acquiring of Sites for Telecom Building in Andhra Pradesh

1884. SHRI V. HANUMANTHA RAO: Will the Minister of COMMUNICATIONS be pleased to state:

(a) whether Andhra Pradesh Telecom has acquired sites for building for STD